

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

<b>Trade name or designation of the mixture</b>	Greases LUKOIL POLYFLEX EP 00-160, EP 0-160, EP 1-160, EP 2-160, EP 3-160
<b>Registration number</b>	-
<b>Synonyms</b>	None.
<b>Issue date</b>	30-October-2014
<b>Version number</b>	02
<b>Revision date</b>	29-October-2015
<b>Supersedes date</b>	30-October-2014

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

<b>Identified uses</b>	For greasing of friction units of industrial, automobile, construction and ships equipment, working on average and high loads; provide reliable protection even under shock loads, corrosive atmospheres and boundary lubrication regime, cold climate.
<b>Uses advised against</b>	This product must not be used in applications other than those recommended in Sections 1 and 15, without first seeking the advice of the supplier.

**1.3. Details of the supplier of the safety data sheet****Supplier/OR**

<b>Company name</b>	LUKOIL Neftohim Burgas AD
<b>Address</b>	Burgas 8104, Bulgaria
<b>Telephone</b>	+35955115654
<b>Fax</b>	+35955115555
<b>e-mail</b>	SDS@neftochim.bg

**Manufacturer**

<b>Company name</b>	OOO "INTESMO"
<b>Address</b>	"40 let VLKSM" Str.,55, 400029 Volgograd, Russia

**1.4. Emergency telephone number**

<b>General in EU</b>	112
----------------------	-----

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

**Classification according to Regulation (EC) No 1272/2008 as amended**

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

**Hazard summary** Not available.

**2.2. Label elements****Label according to Regulation (EC) No. 1272/2008 as amended**

<b>Hazard pictograms</b>	None.
<b>Signal word</b>	None.
<b>Hazard statements</b>	The mixture does not meet the criteria for classification.

**Precautionary statements**

<b>Prevention</b>	Observe good industrial hygiene practices.
<b>Response</b>	Wash hands after handling.
<b>Storage</b>	Store away from incompatible materials.
<b>Disposal</b>	Dispose of waste and residues in accordance with local authority requirements.

**Supplemental label information** EUH208 - Contains Phosphoric acid esters/amine salt, n-2-Naphthylaniline, Substituted thiadiazole. May produce an allergic reaction.

**2.3. Other hazards**

Not a PBT or vPvB substance or mixture.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Residual oils (petroleum), hydrotreated; Baseoil - unspecified	53 - 61	64742-57-0 265-160-8	01-2119489287-22-0007	649-470-00-4	
<b>Classification:</b>	-				L
Paraffin oils (petroleum), catalytic de-waxed light	28 - 33	64742-71-8 265-176-5	01-2119485040-48-0002	649-478-00-8	
<b>Classification:</b>	-				L
Lithium 12-hydroxystearate	4.3 - 15	7620-77-1 231-536-5	17-2120053281-67-0000	-	
<b>Classification:</b>	-				
Phosphoric acid esters/amine salt	0.4 - 0.9	Proprietary	-	-	
<b>Classification:</b>	Acute Tox. 4;H302, Skin Sens. 1;H317, Eye Dam. 1;H318				
n-2-Naphthylaniline	< 0.3	135-88-6 205-223-9	-	612-135-00-8	
<b>Classification:</b>	Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Irrit. 2;H319, Carc. 2;H351, Aquatic Chronic 2;H411				
Substituted thiadiazole	< 0.15	Proprietary	-	-	
<b>Classification:</b>	Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Dam. 1;H318				

#### Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.  
The full text for all H-statements is displayed in section 16.  
Note L: The classification as a carcinogen does not apply as it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

## SECTION 4: First aid measures

#### General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritation of eyes and mucous membranes. Prolonged or repeated contact may dry skin and cause dermatitis.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

## SECTION 5: Firefighting measures

#### General fire hazards

No unusual fire or explosion hazards noted.

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Special fire fighting procedures** Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

**For emergency responders** Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS. Be aware of potential for surfaces to become slippery.

**6.2. Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

**6.3. Methods and material for containment and cleaning up** Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Never return spills to original containers for re-use.

**6.4. Reference to other sections** For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling** Avoid prolonged exposure. Avoid contact with eyes, skin, and clothing. Observe good industrial hygiene practices. Wear appropriate personal protective equipment (See Section 8).

**7.2. Conditions for safe storage, including any incompatibilities** Store away from incompatible materials (see section 10 of the SDS).

**7.3. Specific end use(s)** For detailed information, see section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Occupational exposure limits** No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

### Derived no-effect level (DNEL)

Components	Type	Route	Value	Form
Lithium 12-hydroxystearate (CAS 7620-77-1)	Workers	Dermal	41 mg/kg bw/day	Long term exposure systemic effects
		Inhalation	3 mg/m <sup>3</sup>	Long term exposure systemic effects

### Predicted no effect concentrations (PNECs)

Components	Type	Route	Value	Form
Lithium 12-hydroxystearate (CAS 7620-77-1)	Aqua (freshwater)	Not applicable	0.1 mg/l	
	Aqua (intermittent releases)	Not applicable	1 mg/l	
	Aqua (marine water)	Not applicable	0.01 mg/l	

### 8.2. Exposure controls

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

**General information** Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

#### Skin protection

- **Hand protection** Wear appropriate chemical resistant gloves.

- **Other** Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**Environmental exposure controls** Environmental manager must be informed of all major releases.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state** Semi-solid.  
**Form** Semi-solid.  
**Colour** Yellow. / Light brown.

**Odour** Not available.

**Odour threshold** Not available.

**pH** Not applicable.

**Melting point/freezing point** Not applicable.

**Initial boiling point and boiling range** Not applicable.

**Flash point** 200.0 °C (392.0 °F) Open cup ASTM D 92

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not available.

#### Upper/lower flammability or explosive limits

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Vapour pressure** Not available.

**Vapour density** Not available.

**Relative density** Not available.

**Solubility(ies)** Not available.

**Partition coefficient (n-octanol/water)** Not available.

**Auto-ignition temperature** Not available.

**Decomposition temperature** Not available.

**Viscosity** 1200 - 3200 Pa·s (-30 °C (-22 °F))

**Explosive properties** Not explosive.

**Oxidizing properties** Not oxidising.

**9.2. Other information** No relevant additional information available.

## SECTION 10: Stability and reactivity

**10.1. Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

**10.3. Possibility of hazardous reactions** No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid** Contact with incompatible materials.

**10.5. Incompatible materials** Strong oxidising agents.

**10.6. Hazardous decomposition products** No hazardous decomposition products are known.

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

#### Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** May cause an allergic skin reaction.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

**Symptoms** Irritation of eyes and mucous membranes.

### 11.1. Information on toxicological effects

Components	Species	Test results
n-2-Naphthylaniline (CAS 135-88-6)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	8730 mg/kg
Paraffin oils (petroleum), catalytic de-waxed light (CAS 64742-71-8)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg, 24 Hours
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg
Residual oils (petroleum), hydrotreated; Baseoil - unspecified (CAS 64742-57-0)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	2.18 mg/l, 4 Hours
<i>Oral</i>		
LD50	Rat	5000 mg/kg
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.	
<b>Serious eye damage/eye irritation</b>	May cause eye irritation on direct contact.	
<b>Respiratory sensitisation</b>	Based on available data, the classification criteria are not met.	
<b>Skin sensitisation</b>	The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals.	
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.	
<b>Carcinogenicity</b>	Due to partial or complete lack of data the classification is not possible.	

#### IARC Monographs. Overall Evaluation of Carcinogenicity

n-2-Naphthylaniline (CAS 135-88-6) 3 Not classifiable as to its carcinogenicity to humans.

<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Not likely, due to the form of the product.
<b>Mixture versus substance information</b>	No information available.
<b>Other information</b>	May cause allergic respiratory and skin reactions.

## SECTION 12: Ecological information

<b>12.1. Toxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>12.2. Persistence and degradability</b>	No data is available on the degradability of this product.
<b>12.3. Bioaccumulative potential</b>	No data available.
<b>Partition coefficient n-octanol/water (log Kow)</b>	
n-2-Naphthylaniline (CAS 135-88-6)	4.38
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>12.4. Mobility in soil</b>	No data available.
<b>12.5. Results of PBT and vPvB assessment</b>	Not a PBT or vPvB substance or mixture.
<b>12.6. Other adverse effects</b>	Greases are generally hazardous to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
<b>EU waste code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Disposal methods/information</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
<b>Special precautions</b>	Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

Not regulated as dangerous goods.

### RID

Not regulated as dangerous goods.

### ADN

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

n-2-Naphthylaniline (CAS 135-88-6)

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended**

Not listed.

**Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended**

n-2-Naphthylaniline (CAS 135-88-6)

## Other EU regulations

### Directive 2012/18/EU on major accident hazards involving dangerous substances

n-2-Naphthylaniline (CAS 135-88-6)

### Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

n-2-Naphthylaniline (CAS 135-88-6)

### Directive 94/33/EC on the protection of young people at work

n-2-Naphthylaniline (CAS 135-88-6)

## Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

## National regulations

Follow national regulation for work with chemical agents.

## 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

### List of abbreviations

PBT: Persistent, bioaccumulative and toxic.

vPvB: Very Persistent and very Bioaccumulative.

DNEL: Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration.

EC50: Effective Concentration, 50%.

LD50: Lethal Dose, 50%.

### References

IUCLID

ECHA registered substances database

IARC Monographs. Overall Evaluation of Carcinogenicity

### Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

### Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

### Training information

Follow training instructions when handling this material.

### Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available at the date of revision and exclusively refer to the product in its as-delivered condition. The information and recommendations are offered for the user's consideration and examination. The logo and the name "LUKOIL oil company" may include anyone or more of LUKOIL or any affiliates in which they directly or indirectly hold any interest.