

LUKOIL ANTIFREEZE G11 BLUE

Extended Life Coolant

MEETS REQUIREMENTS

ASTM D3306, SAE J 1034, GOST 28084-89
VW TL-774-C; MTU 5048; FORD ESD M97B49-A

PRODUCT DESCRIPTION

LUKOIL ANTIFREEZE G11 BLUE is ready-to-use high performance ethylene glycol-based coolant with low Pour Point. Its Hybrid Organic Acid Technology (HOAT) combines organic acid salts and silicates to provide effective anticorrosion performance.

APPLICATION

LUKOIL ANTIFREEZE G11 BLUE is designed for closed cooling systems of modern combustion engines in vehicles operating at ambient temperatures down to -40 °C.

The product name in an order:

Coolant LUKOIL ANTIFREEZE G11 BLUE, STO 79345251-008-2008

FEATURES AND BENEFITS

- Effectively protects cooling systems of all modern engines, including aluminum ones, against freezing, corrosion, scaling and boiling
- Contains unique additive package what extends coolant life
- Improves heat transfer
- Reduces costs of cooling system maintenance and overhauls
- Provides stable properties
- Suitable for vehicles of different types

TYPICAL TEST DATA

PROPERTY	Test methods	LUKOIL ANTIFREEZE G11 BLUE
Colour	GOST 28084, 4.1	Blue
Density at 20 °C, kg/m ³	GOST 18995.1	1,080
Chilling point, °C	GOST 28084, 4.3	-41
Boiling point at 101.3 kPa, °C	p.7.3 STO	110
pH factor at 20 °C	GOST 22567.5, GOST 28084, 4.1	8.2
Alkalinity, ml	GOST 28084, 4.9	14.3

The information given in the typical data does not constitute a specification but is an indication based on current production and can be affected by allowable production tolerances. The right to make modifications is reserved by OOO "LLK-International".