

Trade name: LUKOIL NAVIGO MCL Range -

Current version : 1.0.2, issued: 18.07.2018

Replaced version: 1.0.1, issued: 13.07.2018

Region: GB

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name

**LUKOIL NAVIGO MCL Range -  
NAVIGO 70 MCL AW, NAVIGO 100 MCL, NAVIGO 140 MCL****1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses of the substance or mixture

Engine Lubrication

Uses advised against

No data available.

**1.3 Details of the supplier of the safety data sheet****Address**LUKOIL Marine Lubricants DMCC  
c/o «LLK-INTERNATIONAL»  
6, Malaya Yakimanka  
119180 Moscow, Russia

Telephone no. +7-495-627 44 49

Fax no. +7-495-627 40 20

**Information provided by / telephone**

+7-495-627 44 49 (9:00 - 17:00)

**Advice on Safety Data Sheet**

sdb\_info@umco.de

**Supplier****Address**LUKOIL Marine Lubricants Germany GmbH  
Große Bäckerstraße 13  
20095 Hamburg

Telephone no. +49 40 180 4220 60

**1.4 Emergency telephone number**

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

-

**Signal word**

-

Trade name: LUKOIL NAVIGO MCL Range -

Current version : 1.0.2, issued: 18.07.2018

Replaced version: 1.0.1, issued: 13.07.2018

Region: GB

**Hazard statement(s)**

-

**Hazard statements (EU)**

EUH210 Safety data sheet available on request.

**Precautionary statement(s)**

-

**Labelling information**

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

**2.3 Other hazards**

No data available.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Chemical characterization**

Mixture (preparation)

**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	<b>mineraloil</b>			
	-	Asp. Tox. 1; H304	>= 10.00 - < 25.00	%-b.w.
	-			
	-			
	-			
2	<b>Phenol, dodecyl-, branched</b>			
	121158-58-5	Aquatic Acute 1; H400	< 0.50	%-b.w.
	310-154-3	Repr. 2; H361f		
	604-092-00-9	Skin Irrit. 2; H315		
	01-2119513207-49	Aquatic Chronic 1; H410		
		Eye Irrit. 2; H319		

Full Text for all H-phrases and EUH-phrases: pls. see section 16

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes and launder thoroughly before reusing.

**After inhalation**

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Irregular breathing/no breathing: artificial respiration. Ensure supply of fresh air.

**After skin contact**

Wash off immediately with soap and water.

**After eye contact**

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

**After ingestion**

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water.

Trade name: LUKOIL NAVIGO MCL Range -

Current version : 1.0.2, issued: 18.07.2018

Replaced version: 1.0.1, issued: 13.07.2018

Region: GB

**4.2 Most important symptoms and effects, both acute and delayed**

No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

**Unsuitable extinguishing media**

High power water jet

**5.2 Special hazards arising from the substance or mixture**In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO); Fumes of metal oxides; not combusted hydrocarbons; Sulphur oxides (SxO<sub>y</sub>); Phosphorus oxides**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Cool endangered containers with water spray jet. Wear protective clothing.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

**For emergency responders**

No data available. Personal protective equipment (PPE) - see Section 8.

**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

**6.3 Methods and material for containment and cleaning up**

Prevent spread over a wide area (by containment with sand or earth). Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When picked up, treat material as prescribed under heading "Disposal considerations".

**6.4 Reference to other sections**

No data available.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Advice on safe handling**

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Remove soiled or soaked clothing immediately. Avoid contact with eyes and skin. Do not inhale vapours.

**Advice on protection against fire and explosion**

Keep away from sources of heat and ignition.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed in a well-ventilated place. Protect from heat and direct sunlight.

**Recommended storage temperature**

Value -5 - 40 °C

Trade name: LUKOIL NAVIGO MCL Range -

Current version : 1.0.2, issued: 18.07.2018

Replaced version: 1.0.1, issued: 13.07.2018

Region: GB

**Requirements for storage rooms and vessels**

Store product in closed containers. Storage rooms must be properly ventilated. Emptied containers may contain product residues and therefore must be handled with care.

Reuse only after appropriate cleaning.

**Advice on storage assembly**

Do not store together with: Oxidizing agents; explosive substances; compressed, liquefied or dissolved under pressure gases.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**DNEL, DMEL and PNEC values**

**DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Phenol, dodecyl-, branched			121158-58-5 310-154-3	
	dermal	Long term (chronic)	systemic	0.25	mg/kg/day
	dermal	Short term (acut)	systemic	166.00	mg/kg/day
	inhalative	Short term (acut)	systemic	44.18	mg/m <sup>3</sup>

**DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Phenol, dodecyl-, branched			121158-58-5 310-154-3	
	oral	Long term (chronic)	systemic	0.075	mg/kg/day
	oral	Short term (acut)	systemic	1.26	mg/kg/day
	dermal	Long term (chronic)	systemic	0.075	mg/kg/day
	dermal	Short term (acut)	systemic	50.00	mg/kg/day
	inhalative	Long term (chronic)	systemic	0.79	mg/m <sup>3</sup>
	inhalative	Short term (acut)	systemic	13.26	mg/m <sup>3</sup>

**PNEC values**

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	Phenol, dodecyl-, branched		121158-58-5 310-154-3	
	water	fresh water	0.074	µg/L
	water	marine water	0.0074	µg/L
	water	Aqua intermittent	0.37	µg/L
	water	fresh water sediment	0.226	mg/kg
	with reference to: dry weight			
	water	marine water sediment	0.0266	mg/kg
	with reference to: dry weight			
	soil	-	0.118	mg/kg
	with reference to: dry weight			
sewage treatment plant	-	100.00	mg/L	

Trade name: LUKOIL NAVIGO MCL Range -

Current version : 1.0.2, issued: 18.07.2018

Replaced version: 1.0.1, issued: 13.07.2018

Region: GB

**8.2 Exposure controls**

**Appropriate engineering controls**

No data available.

**Personal protective equipment**

**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

**Eye / face protection**

Safety glasses with side protection shield (EN 166)

**Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

**Other**

Normal chemical work clothing. rubber boots

**Environmental exposure controls**

No data available.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

<b>Form/Colour</b>	
liquid	
brownish	
<b>Odour</b>	
specific	
<b>Odour threshold</b>	
No data available	
<b>pH value</b>	
No data available	
<b>Boiling point / boiling range</b>	
No data available	
<b>Melting point / melting range</b>	
No data available	
<b>Decomposition point / decomposition range</b>	
No data available	
<b>Flash point</b>	
Value	> 220 °C
Method	ASTM D 92

Trade name: LUKOIL NAVIGO MCL Range -

Current version : 1.0.2, issued: 18.07.2018

Replaced version: 1.0.1, issued: 13.07.2018

Region: GB

<b>Auto-ignition temperature</b>	
No data available	
<b>Oxidising properties</b>	
No data available	
<b>Explosive properties</b>	
No data available	
<b>Flammability (solid, gas)</b>	
No data available	
<b>Lower flammability or explosive limits</b>	
No data available	
<b>Upper flammability or explosive limits</b>	
No data available	
<b>Vapour pressure</b>	
No data available	
<b>Vapour density</b>	
No data available	
<b>Evaporation rate</b>	
No data available	
<b>Relative density</b>	
No data available	
<b>Density</b>	
Value	930 - 982 kg/m <sup>3</sup>
Reference temperature	15 °C
Method	ASTM D 1298
<b>Solubility in water</b>	
Remarks	insoluble
<b>Solubility(ies)</b>	
No data available	
<b>Partition coefficient: n-octanol/water</b>	
No data available	
<b>Viscosity</b>	
Value	19.5 - 26 cSt
Reference temperature	100 °C
Type	kinematic
Method	ASTM D 445

## 9.2 Other information

<b>Other information</b>
No data available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

Trade name: LUKOIL NAVIGO MCL Range -

Current version : 1.0.2, issued: 18.07.2018

Replaced version: 1.0.1, issued: 13.07.2018

Region: GB

**10.5 Incompatible materials**

Oxidizing agents

**10.6 Hazardous decomposition products**Fumes of metal oxide; Sulphurous oxides (SO<sub>x</sub>); Phosphorus oxides; not combusted hydrocarbons (fumes)**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

<b>Acute oral toxicity</b>
No data available
<b>Acute dermal toxicity</b>
No data available
<b>Acute inhalational toxicity</b>
No data available
<b>Skin corrosion/irritation</b>
No data available
<b>Serious eye damage/irritation</b>
No data available
<b>Respiratory or skin sensitisation</b>
No data available
<b>Germ cell mutagenicity</b>
No data available
<b>Reproduction toxicity</b>
No data available
<b>Carcinogenicity</b>
No data available
<b>STOT - single exposure</b>
No data available
<b>STOT - repeated exposure</b>
No data available
<b>Aspiration hazard</b>
No data available

Trade name: LUKOIL NAVIGO MCL Range -

Current version : 1.0.2, issued: 18.07.2018

Replaced version: 1.0.1, issued: 13.07.2018

Region: GB

## SECTION 12: Ecological information

### 12.1 Toxicity

<b>Toxicity to fish (acute)</b>
No data available
<b>Toxicity to fish (chronic)</b>
No data available
<b>Toxicity to Daphnia (acute)</b>
No data available
<b>Toxicity to Daphnia (chronic)</b>
No data available
<b>Toxicity to algae (acute)</b>
No data available
<b>Toxicity to algae (chronic)</b>
No data available
<b>Bacteria toxicity</b>
No data available

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Other adverse effects

No data available.

### 12.7 Other information

<b>Other information</b>
Do not discharge product unmonitored into the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.



Trade name: LUKOIL NAVIGO MCL Range -

Current version : 1.0.2, issued: 18.07.2018

Replaced version: 1.0.1, issued: 13.07.2018

Region: GB

**SECTION 14: Transport information**

**14.1 Transport ADR/RID/ADN**

The product is not subject to ADR/RID/ADN regulations.

**14.2 Transport IMDG**

The product is not subject to IMDG regulations.

**14.3 Transport ICAO-TI / IATA**

The product is not subject to ICAO-TI / IATA regulations.

**14.4 Other information**

The product is not defined under national/international road, rail, sea and air dangerous goods transport regulations as a hazardous material:

national/international road - not restricted as per ADR

national/international rail - not restricted as per RID

national/international sea - not restricted as per IMDG

national/international air - not restricted as per IATA

**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

No data available.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not relevant

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulations**

**Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XVII of the REACH regulation (EC) 1907/2006.

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

**National regulations**

**National chemical inventories**

EINECS/ELINCS (European Community)	listed
USA (TSCA)	listed
DSL/NDSL (Canada)	listed
ENCS (Japan)	listed
ECL (Korea)	listed
AICS (Australia)	listed
IECSC / NEPA (China)	listed
NZIoC (New Zealand)	listed

Trade name: LUKOIL NAVIGO MCL Range -

Current version : 1.0.2, issued: 18.07.2018

Replaced version: 1.0.1, issued: 13.07.2018

Region: GB

## 15.2 Chemical safety assessment

No data available.

## SECTION 16: Other information

### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

### Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Department issuing safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 743432