

**Trade name:** LUKOIL NAVIGO TPEO 30 ULTRA, LUKOIL NAVIGO TPEO 40 ULTRA, LUKOIL NAVIGO DD 40

**Product no.:** auto11189

**Current version :** 5.0.0, issued: 20.02.2019

**Replaced version:** 4.0.0, issued: 11.05.2015

**Region:** GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**LUKOIL NAVIGO TPEO 30 ULTRA, LUKOIL NAVIGO TPEO 40 ULTRA,  
LUKOIL NAVIGO DD 40**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Engine Lubrication

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

LUKOIL Marine Lubricants DMCC

c/o «LLK-INTERNATIONAL»

6, Malaya Yakimanka

119180 Moscow, Russia

Telephone no. +7-495-627 44 49

Fax no. +7-495-627 40 20

**Information provided by / telephone**

+7-495-627 44 49 (9:00 - 17:00)

**Advice on Safety Data Sheet**

sdb\_info@umco.de

**Supplier**

**Address**

LUKOIL Marine Lubricants Germany GmbH

Alsterufer 20

20354 Hamburg

Telephone no. +49 40 180 4220 0

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Gif tinformati ons zent rum Nord)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification information**

This product does not meet the classification and labelling criteria given in the Regulation (EC) No 1272/2008 (CLP).

### 2.2 Label elements

Not relevant

### 2.3 Other hazards

No data available.

Trade name: LUKOIL NAVIGO TPEO 30 ULTRA, LUKOIL NAVIGO TPEO 40 ULTRA, LUKOIL NAVIGO DD 40

Product no.: auto11189

Current version : 5.0.0, issued: 20.02.2019

Replaced version: 4.0.0, issued: 11.05.2015

Region: GB

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

##### Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	Distillates (petroleum), solvent-dewaxed heavy paraffinic		Contains < 3 % DMSO extract (IP 346).	
	64742-65-0 265-169-7 649-474-00-6 01-2119471299-27	Asp. Tox. 1; H304	> 0.50 - < 1.00	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	L	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

##### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Irregular breathing/no breathing: artificial respiration.

##### After skin contact

Wash off immediately with soap and water.

##### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

##### After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

##### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Wear protective clothing.

Trade name: LUKOIL NAVIGO TPEO 30 ULTRA, LUKOIL NAVIGO TPEO 40 ULTRA, LUKOIL NAVIGO DD 40

Product no.: auto11189

Current version : 5.0.0, issued: 20.02.2019

Replaced version: 4.0.0, issued: 11.05.2015

Region: GB

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Prevent spread over a wide area (by containment with sand or earth). Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When picked up, treat material as prescribed under heading "Disposal considerations".

### 6.4 Reference to other sections

No data available.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Remove soiled or soaked clothing immediately. Avoid contact with eyes and skin. Do not inhale vapours.

#### Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed in a well-ventilated place. Protect from heat and direct sunlight.

#### Requirements for storage rooms and vessels

Store product in closed containers. Storage rooms must be properly ventilated. Emptied containers may contain product residues and therefore must be handled with care.

Reuse only after appropriate cleaning.

#### Advice on storage assembly

Do not store together with: oxidizing agents; Acids

### 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

No parameters available for monitoring.

### 8.2 Exposure controls

#### Appropriate engineering controls

No data available.

#### Personal protective equipment

##### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

**Trade name:** LUKOIL NAVIGO TPEO 30 ULTRA, LUKOIL NAVIGO TPEO 40 ULTRA, LUKOIL NAVIGO DD 40

**Product no.:** auto11189

**Current version :** 5.0.0, issued: 20.02.2019

**Replaced version:** 4.0.0, issued: 11.05.2015

**Region:** GB

**Eye / face protection**

Safety glasses with side protection shield (EN 166)

**Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Heat-resistant gloves when using hot material (EN 407).

**Other**

Normal chemical work clothing, rubber boots

**Environmental exposure controls**

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form/Colour</b>	
liquid	
<b>Odour</b>	
specific	
<b>Odour threshold</b>	
No data available	
<b>pH value</b>	
No data available	
<b>Boiling point / boiling range</b>	
No data available	
<b>Melting point / melting range</b>	
No data available	
<b>Decomposition point / decomposition range</b>	
No data available	
<b>Flash point</b>	
Value	225 °C

**Trade name:** LUKOIL NAVIGO TPEO 30 ULTRA, LUKOIL NAVIGO TPEO 40 ULTRA, LUKOIL NAVIGO DD 40

**Product no.:** auto11189

**Current version :** 5.0.0, issued: 20.02.2019

**Replaced version:** 4.0.0, issued: 11.05.2015

**Region:** GB

<b>Auto-ignition temperature</b>		
No data available		
<b>Oxidising properties</b>		
No data available		
<b>Explosive properties</b>		
No data available		
<b>Flammability (solid, gas)</b>		
No data available		
<b>Lower flammability or explosive limits</b>		
No data available		
<b>Upper flammability or explosive limits</b>		
No data available		
<b>Vapour pressure</b>		
No data available		
<b>Vapour density</b>		
No data available		
<b>Evaporation rate</b>		
No data available		
<b>Relative density</b>		
No data available		
<b>Density</b>		
Value	894	kg/m <sup>3</sup>
Reference temperature	20	°C
<b>Solubility in water</b>		
No data available		
<b>Solubility(ies)</b>		
No data available		
<b>Partition coefficient: n-octanol/water</b>		
No data available		
<b>Viscosity</b>		
Value	15.5	mm <sup>2</sup> /s
Reference temperature	100	°C
Type	kinematic	

## 9.2 Other information

<b>Other information</b>
No data available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

No data available.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

Heat

### 10.5 Incompatible materials

Oxidizing agents; Acids

Trade name: LUKOIL NAVIGO TPEO 30 ULTRA, LUKOIL NAVIGO TPEO 40 ULTRA, LUKOIL NAVIGO DD 40

Product no.: auto11189

Current version : 5.0.0, issued: 20.02.2019

Replaced version: 4.0.0, issued: 11.05.2015

Region: GB

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7
LD50	>	5000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7
LC50	>	5.53	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Method	OECD 403		
Source	ECHA		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7
Duration of exposure		24	h
Species	rabbit		
Source	ECHA		
Evaluation	non-irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7
Duration of exposure		72	h
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		

Trade name: LUKOIL NAVIGO TPEO 30 ULTRA, LUKOIL NAVIGO TPEO 40 ULTRA, LUKOIL NAVIGO DD 40

Product no.: auto11189

Current version : 5.0.0, issued: 20.02.2019

Replaced version: 4.0.0, issued: 11.05.2015

Region: GB

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7
Route of exposure		Skin	
Duration of exposure		3	week/s
Species		guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7
Duration of exposure		72	h
Type of examination		Micronucleus test	
Species		mouse	
Method		OECD 474	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7
Route of exposure		oral	
Duration of exposure		>= 1000	mg/kg bw/d
		30	day(s)
Species		rat	
Method		OECD 421	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7
Route of exposure		dermal	
Duration of exposure		78	week/s
Species		mouse	
Method		OECD 451	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure			
No data available			

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7
Route of exposure		dermal	
NOAEL		appr. 1000	mg/kg bw/d
Duration of exposure		4	week/s
Species		rabbit	
Method		OECD 410	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

**Trade name:** LUKOIL NAVIGO TPEO 30 ULTRA, LUKOIL NAVIGO TPEO 40 ULTRA, LUKOIL NAVIGO DD 40

**Product no.:** auto11189

**Current version :** 5.0.0, issued: 20.02.2019

**Replaced version:** 4.0.0, issued: 11.05.2015

**Region:** GB

<b>Aspiration hazard</b>
--------------------------

No data available
-------------------

<b>Delayed and immediate effects as well as chronic effects from short and long-term exposure</b>
---

Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may cause slight irritation. Inhalation of vapours from the heated product can cause irritation of the respiratory tract and the eyes.
--

## SECTION 12: Ecological information

### 12.1 Toxicity

<b>Toxicity to fish (acute)</b>
---------------------------------

No data available
-------------------

<b>Toxicity to fish (chronic)</b>
-----------------------------------

No data available
-------------------

<b>Toxicity to Daphnia (acute)</b>
------------------------------------

No data available
-------------------

<b>Toxicity to Daphnia (chronic)</b>
--------------------------------------

No data available
-------------------

<b>Toxicity to algae (acute)</b>
----------------------------------

No data available
-------------------

<b>Toxicity to algae (chronic)</b>
------------------------------------

No data available
-------------------

<b>Bacteria toxicity</b>
--------------------------

No data available
-------------------

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Other adverse effects

No data available.

### 12.7 Other information

<b>Other information</b>
--------------------------

Ecological data are not available. Do not discharge product unmonitored into the environment.
--

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

**Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.



**Trade name:** LUKOIL NAVIGO TPEO 30 ULTRA, LUKOIL NAVIGO TPEO 40 ULTRA, LUKOIL NAVIGO DD 40

**Product no.:** auto11189

**Current version :** 5.0.0, issued: 20.02.2019

**Replaced version:** 4.0.0, issued: 11.05.2015

**Region:** GB

## SECTION 14: Transport information

### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

### 14.4 Other information

No data available.

### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

### 14.6 Special precautions for user

No data available.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

#### **Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### **REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

#### **Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XVII of the REACH regulation (EC) 1907/2006.

#### **Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

#### National regulations

##### **National chemical inventories**

USA (TSCA) listed

### 15.2 Chemical safety assessment

No data available.

## SECTION 16: Other information

#### **Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

**Trade name:** LUKOIL NAVIGO TPEO 30 ULTRA, LUKOIL NAVIGO TPEO 40 ULTRA, LUKOIL NAVIGO DD 40

**Product no.:** auto11189

**Current version :** 5.0.0, issued: 20.02.2019

**Replaced version:** 4.0.0, issued: 11.05.2015

**Region:** GB

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H304

May be fatal if swallowed and enters airways.

**Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)**

L

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

**Department issuing safety data sheet**

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.  
Prod-ID 615402