

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: ANTICORIT DFW 8301

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Anticorrosion product Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	Fuchs Schmierstoffe GmbH Friesenheimer Str. 19 68169 Mannheim
Telephone:	+49 621 3701-0 (ZENTRALE)
Fax:	+49 621 3701-570
Contact Person:	Fuchs Schmierstoffe GmbH Abteilung Produktsicherheit
Telephone:	+49 621 3701-1333
Fax:	+49 621 3701-7303
E-mail:	produktsicherheit@fuchs-schmierstoffe.de
1.4 Emergency telephone number:	+49 621 3701-1333 / +49 621 3701-0 (Mo-Do 8-17, Fr 8-16)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards Aspiration Hazard	Category 1	H304: May be fatal if swallowed and enters airways.
Hazard summary Physical Hazards:	Can form flammable va	pour-air mixtures during the application.
Health Hazards		
Ingestion:	If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.	
2 Label Elements Contains:	Hydrocarbons, low visco	osity

2.2





Signal Words:	Danger
Hazard Statement(s):	H304: May be fatal if swallowed and enters airways.
Precautionary Statem	ents
Response:	P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331: Do NOT induce vomiting.
Disposal:	P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Supplemental label in	formation EUH208: Contains Calcium Sulfonate, Ca sulfonate. May produce an allergic reaction.
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture based on severely refined mineral base oils with corrosion preventive agents and volatile hydrocarbons.

Chemical name	ldentifier	Concentration *	REACH Registration No.	Notes
Hydrocarbons, low viscosity	EINECS: 920-901-0	50,00 - <100,00%	01-2119456810-40	
Calcium Sulfonate	EINECS: 263-093-9	1,00 - <5,00%	01-2119488992-18	
Glycol derivative	EINECS: 203-961-6	1,00 - <5,00%	01-2119475104-44	
Ca sulfonate	EINECS: 939-603-7	1,00 - <5,00%	01-2119978241-36	
phenolic antioxidant	EINECS: 204-881-4	0,10 - <0,25%	01-2119565113-46	

All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Classification

Chemical name	Identifier	Classification
Hydrocarbons, low viscosity	EINECS: 920-901-0	CLP: Asp. Tox. 1;H304
Calcium Sulfonate	EINECS: 263-093-9	CLP: Skin Sens. 1B;H317
Glycol derivative	EINECS: 203-961-6	CLP: Eye Irrit. 2;H319
Ca sulfonate	EINECS: 939-603-7	CLP: Skin Sens. 1B;H317
phenolic antioxidant	EINECS: 204-881-4	CLP: Aquatic Acute 1;H400, Aquatic Chronic 1;H410

CLP: Regulation No. 1272/2008.

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

SECTION 4: First aid measures	
General:	Instantly remove any clothing soiled by the product.
4.1 Description of first aid measu	ures
Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with water and soap; pay attention: skin degreasing product.
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do NOT induce vomiting.
4.2 Most important symptoms and effects, both acute and delayed:	If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately. Headache.
4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur.
SECTION 5: Firefighting measure	S
General Fire Hazards:	Use water spray to keep fire-exposed containers cool.
5.1 Extinguishing media Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added
Unsuitable extinguishing media:	Water with a full water jet.



5.2 Special hazards arising from the substance or mixture:	Can form explosive vapor-air mixtures at higher temperatures.
5.3 Advice for firefighters Special fire fighting procedures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
SECTION 6: Accidental release me	easures
6.1 Personal precautions, protective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces. Keep away from sources of ignition - No smoking.
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
SECTION 7: Handling and storage	:

7.1 Precautions for safe handling:	Use only in well-ventilated areas. Risk of vapor concentration on the floor and in low-lying areas. Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.
7.2 Conditions for safe storage, including any incompatibilities:	Store locked up. Local regulations concerning handling and storage of waterpolluting products have to be followed. The precautions for storing and handling of flammable liquids have to be kept. Local regulations for common storage of flammable liquids have to be followed. Do not heat up to temperatures close to the flash point.
7.3 Specific end use(s):	not applicable
Storage Class:	10, Combustible liquids



SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Hydrocarbons, low viscosity	AGW	600 mg/m3	Germany. TRGS 900, Occupational Exposure Limits (AGW)
Glycol derivative - Vapor and aerosol.	AGW	10 ppm 67 mg/m3	Germany. TRGS 900, Occupational Exposure Limits (AGW) (04 2014)

8.2 Exposure controls

Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measure	es, such as personal protective equipment
General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm
	Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Yellow
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	not applicable
Freezing point:	Not applicable for mixtures
Boiling Point:	No data available.
Flash Point:	72 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	0,80 g/ml (15,00 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Kinematic viscosity:	3,7 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral	
------	--

Product:	
Specified substance(s)	Not classified for acute toxicity based on available data.
Hydrocarbons, low viscosity	LD 50 (Rat): > 10.000 mg/kg
Calcium Sulfonate	LD 50 (Rat): > 16.000 mg/kg
Glycol derivative	LD 50 (Rat): 3.384 mg/kg
phenolic antioxidant	LD 50 (Rat): 2.930 mg/kg (OECD 401)
Dermal Product:	
Specified substance(s) Glycol derivative	Not classified for acute toxicity based on available data.
	LD 50 (Rabbit): 2.700 mg/kg
phenolic antioxidant	LD 50 (Rat): > 5.000 mg/kg (OECD 402)
Inhalation Product:	
	Not classified for acute toxicity based on available data.
Specified substance(s) Hydrocarbons, low viscosity	LC 50 (Rat, 4 h): > 5 mg/l
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.
Serious Eye Damage/Eye Irr Product:	itation: Based on available data, the classification criteria are not met.
Respiratory or Skin Sensitiz	ation:
Product:	Experimental data has shown that the concentration of potentially sensitizing components present in this product does not induce skin sensitization.
Specified substance(s) phenolic antioxidant	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.



Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	Exposure Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	May be fatal if swallowed and enters airways.
Other adverse effects:	No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Hydrocarbons, low viscosity	LC 50 (Fish, 96 h): > 101 mg/l
Glycol derivative	LC 50 (Fish, 96 h): 1.300 mg/l
Ca sulfonate	LC 50 (Fish, 96 h): > 101 mg/l
Aquatic Invertebrates Specified substance(s) Glycol derivative	EC 50 (Water Flea, 48 h): > 101 mg/l
Ca sulfonate	EC 50 (Water Flea, 48 h): > 1.001 mg/l
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.
Aquatic Invertebrates Specified substance(s) phenolic antioxidant	NOEC (Water Flea, 21 d): > 0,39 mg/l
Toxicity to Aquatic Plants Specified substance(s) Glycol derivative	EC 50 (Alga, 96 h): > 101 mg/l
Ca sulfonate	EC 50 (Alga, 72 h): > 101 mg/l
12.2 Persistence and Degradabili	ty
- , , , , ,	

Biodegradation Product:

Not applicable for mixtures



Tioduct name. ANTICONTED WO	
Specified substance(s) Hydrocarbons, low viscosity	31 % (28 d, OECD 301F) Not readily degradable.
Calcium Sulfonate	8,6 % Not easily biodegradable
phenolic antioxidant	30 % (OECD 302C)
12.3 Bioaccumulative potential Product: Specified substance(s) phenolic antioxidant	Not applicable for mixtures May be accumulated in organism
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	No data available.
Water Hazard Class (WGK):	WGK 1: slightly water-endangering.
SECTION 13: Disposal considerat	ions
13.1 Waste treatment methods	
General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Discharge, treatment, or disposal may be subject to national, state, or local laws.
European Waste Codes	07 06 04*: other organic solvents, washing liquids and mother liquors
SECTION 14: Transport information	on

ADR/RID

14.1 UN Number: 14.2 UN Proper Shipping Name:	
14.3 Transport Hazard Class(es) Class: Label(s):	Non-dangerous goods
Hazard No. (ADR): Tunnel restriction code:	_ _ _
14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	- - -



IMDG 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): EmS No.:	– – Non-dangerous goods – –
14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	- - -
IATA 14.1 UN Number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class: Label(s): 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	– – Non-dangerous goods – – –

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

National Regulations	
Water Hazard Class (WGK):	WGK 1: slightly water-endangering.
15.2 Chemical safety assessment:	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Other information:

The classification complies with the current EU lists; however, it has been



supplemented with expert literature information and information provided by/about our company. It was derived from the test data and/or the application of the conventional method.

Revision Date: Disclaimer: 14.11.2017

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.