

# LUKOIL GENESIS SPECIAL C3 5W-40

Multi-grade low SAPS fully synthetic diesel engine oil of the last generation

## APPROVALS

**GM** dexos 2 - licensed  
**MB-Approval** 229.51  
**Renault** RN 0700/0710  
**Porsche** A40  
**VW** 502.00/505.00/505.01

## MEETS REQUIREMENTS

**ACEA** C3  
**API** SN  
**BMW** LL-04  
**MB** 229.31, 226.5  
**Ford** WSS-M2C917-A

## PRODUCT DESCRIPTION

**LUKOIL GENESIS SPECIAL C3 5W-40** is fully synthetic multi-grade motor oil of the last generation with low content of sulphur, phosphorus and sulphated ash.

## APPLICATION

The product is intended for use in all modern engines of passenger cars and light trucks, including fitted with turbochargers, serviced at service stations. Designed for cars equipped with DPF.

It is recommended for GM, Volkswagen, BMW, Mercedes-Benz, Porsche, Renault and other cars, which require lubricants according ACEA C3 and SAE 5W-40.

*The product name in an order:*

Motor oil LUKOIL GENESIS SPECIAL C3 5W-40

The product is manufactured in Austria

The product is for filling at service stations on warranty and post-warranty periods.

## FEATURES AND BENEFITS

- Easy start-up at low temperatures
- High resistance to oxidation and robust anti-friction properties
- The best wear protection of engine in severe conditions of city-cycle
- Compatible with exhaust systems which sensitive to sulphated ash content
- Suits to engines operated in start-stop cycle and for short distances
- The product formulation provides low oil consumption

## TYPICAL TEST DATA

PROPERTY	Test methods	LUKOIL GENESIS SPECIAL C3 5W-40
Density at 20 °C, kg/m <sup>3</sup>	ASTM D4052 / GOST 3900	850
Kinematic viscosity at 100 °C, mm <sup>2</sup> /s	ASTM D445 / GOST 33 / GOST R 53708	13,6
Viscosity index	ASTM D2270 / GOST 25371	179
Cold Cranking Viscosity at -30 °C, CCS, mPa·s	ASTM D5293 / GOST R 52559	5 981
Total Base Number, mg KOH/1g oil	ASTM D2896 / GOST 30050	6,1
Flash Point, COC, °C	ASTM D92 / GOST 4333	220
Pour Point, °C	GOST 20287 B / ASTM D97	<-39

The information given in the typical data does not constitute a specification but is an indication based on current production and can be affected by allowable production tolerances. The right to make modifications is reserved by OOO "LLK-International".